

SUPPLY AND DELIVERY OF VARIOUS OPHTHALMOLOGY AND ENT-HNS IMPLANTS
IB NO. 2020-GOODS-010-01-0109

PRICE SCHEDULE FOR GOODS OFFERED FROM WITHIN THE PHILIPPINES

BIDDER'S NAME: _____

| 1 | 2 | | | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 |
|------------------|--|---|--------------|-------------------|----------|------|-------------------------|---|--|--|-------------------------------------|---|
| Item | Particulars | Specifications | Packing Size | Country of origin | Quantity | | Unit price exw per item | Transportation and Insurance and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) |
| ENT-HNS IMPLANTS | | | | | | | | | | | | |
| | MODUS 1.5 Micro Cranio-Maxillo-Facial Plating System | Inclusions: To provide: 1.) complete instrumentation and to provide OR Assist during scheduled operation; 2.) must have Certification from third party regarding compliance to US or European Standard (ISO certified) with certification of product registration and; 3.) should pass the American/ European society for testing materials (titanium). | | | | | | | | | | |
| MS1441 | | 1.5 cranial plate, 10 hole, straight | | | 25 | pc | | | | | | |
| MS1442 | | 1.5 cranial plate, 16 hole, straight | | | 25 | pc | | | | | | |
| MS1443 | | 1.5 cranial plate, 4 hole, L, left 90 degrees | | | 2 | pc | | | | | | |
| MS162 | | 1.5 cranial plate, 4 hole, R, left 90 degrees | | | 2 | pc | | | | | | |
| MS161 | | 1.5 orbital plate, 8 hole, curved | | | 2 | pc | | | | | | |
| MS1445 | | Implant screw, cross, d 1.5mm, L 5mm | | | 250 | pcs | | | | | | |
| MS1446 | | Implant screw, cross, d 1.5mm, L 6mm | | | 250 | pcs | | | | | | |
| MS1447 | | Implant emergency screw, cross, d 1.8mm, L 5mm | | | 100 | pcs | | | | | | |
| | MODUS 2.0 Mini Cranio-Maxillo-Facial Plating System | | | | | | | | | | | |
| MS1448 | | 2.0 Cranial plate, 8 holes, straight, regular | | | 25 | pcs | | | | | | |
| MS1449 | | 2.0 Cranial plate, 10 holes, straight, regular | | | 25 | pcs | | | | | | |
| MS1450 | | 2.0 Cranial plate , 5 hole, Y regular | | | 2 | pcs | | | | | | |
| MS1451 | | 2.0 Cranial plate , 5 hole, Y regular | | | 2 | pcs | | | | | | |
| MS1452 | | Implant screw, cross, d 2.0 mm, L 5mm | | | 250 | pcs | | | | | | |
| MS1453 | | Implant screw, cross, d 2.0mm, L 6mm | | | 250 | pcs | | | | | | |
| MS1454 | | Implant emergency screw, cross, d 2.3mm, L 5mm | | | 100 | pcs | | | | | | |
| | MODUS 2.5 Reconstruction and Titanium Plating System | | | | | | | | | | | |
| MS1455 | | 2.5 Reconstruction plate, 17 + 5 hole, apca, left | | | 2 | pcs | | | | | | |
| MS1465 | | 2.5 Reconstruction plate, 17 + 5 hole, apca, right | | | 2 | pcs | | | | | | |
| MS1456 | | 2.5 Reconstruction plate, 17 + 5 hole, apca, left | | | 2 | pcs | | | | | | |
| MS1457 | | 2.5 Reconstruction plate, 17 + 5 hole, apca,Right | | | 2 | pcs | | | | | | |
| MS1457 | | 2.5 Trauma plate, 16 holes, straight | | | 2 | pcs | | | | | | |
| MS1458 | | Implant screw, cross, d 2.5 mm, L 6mm | | | 100 | pcs | | | | | | |
| MS1459 | | Implant screw, cross, d 2.0 mm, L 8mm | | | 100 | pcs | | | | | | |
| MS1460 | | Implant emergency screw, cross, d 2.3mm, L 5mm | | | 50 | pcs | | | | | | |
| | Interdental Wire | | | | | | | | | | | |
| ENT09 | | gauge 24 | | | 24 | pack | | | | | | |
| ENT010 | | gauge 26 | | | 24 | pack | | | | | | |
| ENT08 | | Erich Arch Bar | | | 12 | pack | | | | | | |
| OPHTHA IMPLANTS | | | | | | | | | | | | |
| MS0910 | Anterior chamber IOL | 14.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| MS0911 | Anterior chamber IOL | 15.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| MS0912 | Anterior chamber IOL | 16.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| MS0913 | Anterior chamber IOL | 17.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| MS0914 | Anterior chamber IOL | 18.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| MS0915 | Anterior chamber IOL | 19.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| MS0916 | Anterior chamber IOL | 20.00 D Single piece PMMA, 6mm, Acons 115.3, equiconvex | | | 8 | pc | | | | | | |
| | Cannalicular tube | Olive tip for DCR | | | 40 | pc | | | | | | |
| MS0900 | Orbital implant | with conformers size 18 (right and left) | | | 12 | pc | | | | | | |

| 1 | 2 | | | 3 | 4 | | 5 | 6 | 7 | 8 | 9 | 10 |
|---------|-----------------------|--|--------------|-------------------|----------|----|-------------------------|---|--|--|-------------------------------------|---|
| Item | Particulars | Specifications | Packing Size | Country of origin | Quantity | | Unit price exw per item | Transportation and insurance and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) |
| MS0901 | Orbital implant | with conformers size 20, (right and left) | | | 12 | pc | | | | | | |
| MS0902 | Orbital implant | with conformers size 22, (right and left) | | | 24 | pc | | | | | | |
| MS0917 | Posterior Chamber IOL | 15.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS0918 | Posterior Chamber IOL | 16.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS00390 | Posterior Chamber IOL | 17.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS00391 | Posterior Chamber IOL | 17.50 D PMMA, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS0903 | Posterior Chamber IOL | 17.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00398 | Posterior Chamber IOL | 18.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 8 | pc | | | | | | |
| MS0904 | Posterior Chamber IOL | 18.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00399 | Posterior Chamber IOL | 18.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 12 | pc | | | | | | |
| MS0905 | Posterior Chamber IOL | 18.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00400 | Posterior Chamber IOL | 19.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 12 | pc | | | | | | |
| MS0667 | Posterior Chamber IOL | 19.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00401 | Posterior Chamber IOL | 19.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 16 | pc | | | | | | |
| MS0392 | Posterior Chamber IOL | 19.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 8 | pc | | | | | | |
| MS00402 | Posterior Chamber IOL | 20.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 60 | pc | | | | | | |
| MS0393 | Posterior Chamber IOL | 20.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00403 | Posterior Chamber IOL | 20.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 60 | pc | | | | | | |
| MS0394 | Posterior Chamber IOL | 20.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00404 | Posterior Chamber IOL | 21.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 60 | pc | | | | | | |
| MS0395 | Posterior Chamber IOL | 21.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00405 | Posterior Chamber IOL | 21.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 60 | pc | | | | | | |
| MS0396 | Posterior Chamber IOL | 21.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00406 | Posterior Chamber IOL | 22.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 50 | pc | | | | | | |
| MS0660 | Posterior Chamber IOL | 22.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00407 | Posterior Chamber IOL | 22.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 50 | pc | | | | | | |
| MS0661 | Posterior Chamber IOL | 22.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00408 | Posterior Chamber IOL | 23.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 40 | pc | | | | | | |
| MS0662 | Posterior Chamber IOL | 23.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 20 | pc | | | | | | |
| MS00409 | Posterior Chamber IOL | 23.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 30 | pc | | | | | | |
| MS0663 | Posterior Chamber IOL | 23.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 12 | pc | | | | | | |
| MS00410 | Posterior Chamber IOL | 24.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 20 | pc | | | | | | |
| MS0664 | Posterior Chamber IOL | 24.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00411 | Posterior Chamber IOL | 24.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 12 | pc | | | | | | |
| MS0665 | Posterior Chamber IOL | 24.50 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00412 | Posterior Chamber IOL | 25.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 8 | pc | | | | | | |
| MS0666 | Posterior Chamber IOL | 25.00 D, foldable acrylic, 6.0mm, 360 degrees square edge | | | 4 | pc | | | | | | |
| MS00413 | Posterior Chamber IOL | 25.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS00414 | Posterior Chamber IOL | 26.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS00415 | Posterior Chamber IOL | 26.50 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |
| MS00416 | Posterior Chamber IOL | 27.00 D PMMA, Optic 6mm, Length 13.0mm, 1 piece with dialing holes | | | 4 | pc | | | | | | |

| 1 | 2 | | | | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|----------------------------|-------------|----------------|--------------|-------------------|----------|-------------------------|---|--|--|-------------------------------------|---|----|
| Item | Particulars | Specifications | Packing Size | Country of origin | Quantity | Unit price exw per item | Transportation and Insurance and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) | |
| | | | | | | | | | | | TOTAL BID AMOUNT | P |
| TOTAL BID AMOUNT IN WORDS: | | | | | | | | | | | | |

NAME AND SIGNATURE OF BIDDER'S
AUTHORIZED REPRESENTATIVE

DATE